

Глава девятая:

Транспортные средства

Глава 9: Транспортные средства

9.1 Стандартная тяга

Типы силовой установки

Повреждения от силовой установки

9.2 Стандартное маневрирование

9.3 Векторы тяги

9.4 Пилотирование

Пилот

9.5 Столкновения

Импульс

Физическое сопротивление

Удары и отбрасывания

Паха сквозь



Ассирийский отряд идёт по замёрзшим пустошам Ледяного мира Кристо.

Фото: Наталья
из «2011 Snowpocalypse»
Показанные элементы: LEGO

Тяжёлое вооружение — это всё про местоположение; Они ценны ровно настолько, насколько они могут достичь целей. К сожалению, редко встретишь противника, достаточно внимательного, чтобы строить цели рядом с вашим оружием или позволяющего строить оружие рядом с ними.

Вместо того чтобы ограничивать оружие целями, предоставляемыми одной локацией, удобно дать им возможность перемещаться. Ценность хорошего оружия можно

значительно увеличить, прикрепив к нему транспортное средство.

9.1: Стандартная тяга

Творения, которые перемещаются, называются Транспортными средствами, и все они Для транспортного средства нужна хотя бы одна **двигательная** установка. Если способ питания этого двигателя трудно объяснить. (Строительный кирпич Осадные машины известны тем, что весело катаются по кругу несмотря на отсутствие лошадей или рабов, чтобы их тянуть.)

Для игровых целей всё это важен тип движения транспортного средства. Независимо от того, есть ли это Любые средства власти этого движения вежливо игнорируются.

Как и все устройства в BrikWars, каждая система движения должна быть представлена определёнными физическими элементами. Большинство из них очевидно: колёса, паруса и дирижаблы представлены соответственно элементами колеса, парусными элементами и дирижабльными шарами. Для более эзотерических систем движения, например, серии левитационных кристаллов, использующих энергию искры для транспортировки парящего борделя из одного военного лагеря в другой, физические компоненты должны указывать другим игрокам, чтобы не было путаницы в том, какие элементы нацеливаться в первую очередь.



Работая вместе со своими гномьими союзниками, Племя Морозорожденных построило мамонтовые осадные сани. Движение этой мобильной крепости осуществляется гигантским Ледяным Големом, продвигающимся с тыла.

Фото: Коммандер Кен из «The Frostborne Tribe» Показаны элементы: LEGO

Типы силовой установки

Типы силовой установки		
Тип	Стоимость	Примеры
Стандартная тяга	1ср на 2" ход	Колёса, ноги, весла, гусеницы
Летающая установка	(2ср + уровень структуры) за 2" ход	Крылья дракона, антигравитация, плащи
Движущий механизм прямого полёта	(1ср + уровень структуры) за 2" ход	Крылья самолёта, крылья птиц

Большинство обычных типов силовой установки (**наземная, водная и подводная**) стоят 1ср за два дюйма движения (например, покупать 10" наземного движения стоит 5ср). **Полёт** дороже: каждые два дюйма Хода стоило 2ср плюс Уровень Структуры творения (например, бронированное пространство транспорт с уровнем Конструкции 2 будет платить 4ср за каждые 2" движения Hover Flight). **Полёт вперёд** Транспортные средства, которым нужно поддерживать минимальную скорость вперёд, чтобы оставаться в воздухе

(например, планеры, бипланы или ducks), немного дешевле и стоят более1 СР Уровень Структуры творения на каждые два дюйма Перемещения.

Более необычные типы двигателей (лазание пауками, подземные туннелирование, телепортация) также может быть разрешено, если игроки могут пришли к взаимному согласию по соответствующим правилам и стоимости СР.

Примеры скорости передвижения				
Двигайся»	Существа	Наземная техника <i>по умолчанию: 10"</i>	Стандартные водные транспортные средства: 8"	Стандартные летающие аппараты : 12"
3"	пауки, скорпионы, зомби	инвалидные коляски, катапульты	Гребные лодки, плоты	Воздушные шары
5"	Минифигурки, обезьяны, осьминоги	Бульдозеры, газонокосилки, гольф-кары	Галеры, пароходы	Дирижабли
8"	Собаки, аллигаторы, слоны, акулы	Велосипеды	Галеоны, подводные лодки	Планеры, миникоптеры
10"	лошади, львы	Танки, поезда	Клипперс	Штурмовые вертолёты
12"	птицы, летающие драконы	Автомобили	Моторные лодки	вертолёты, лёгкие самолёты
16"	Супергерои	Спортивные автомобили, мотоциклы	Скоростные катеры	истребители, космические корабли
	<i>(верхний предел для обычные типы двигателей)</i>			
20"	Летающие супергерои	-	-	истребители, истребители
	<i>(верхний предел для полётная тяга)</i>			

Players choose the Move rating of their Propulsion system according to what they feel is appropriate. Example Move ratings are given above.

Alternate Movement

Vehicles may sometimes move outside of their usual medium if it’s appropriate to do so. Common sense should be an adequate guide: automobiles can move at lower speed through standing water, but they can’t fly; airplanes can move at lower speed on the runway, but can’t swim; submarines may move at lower speed on the ocean surface, but can’t start rolling around on land.

Vehicles moving in an alternate medium move at Half Speed (4.1: Movement). No matter how much Move they have to spend, no Vehicle can move more than five inches in an alternate medium in any single turn.

Sprinting

Like minifigs, a Vehicle can be made to Sprint (4.1: Movement) in order to exceed its normal Move

limit in a straight line. As with any other unit, Vehicles cannot make any turns at all while Sprinting.

Propulsion Damage

Propulsion Damage	
Damage	Effect
Major Propulsion Element Lost	-1" Move, cumulative
Half of Propulsion Elements Lost / Vehicle Dragging on Ground	Half Speed
All Propulsion Elements Lost	Move eliminated
Critical Flight Element Lost	Flying Move eliminated
Forward Flight Reduced to Half Speed	Forward Flying Move eliminated

For most devices, Damage is an all-or-nothing affair. A steering wheel is either slagged or it isn't; an elbow is either still attached or it's not.

Propulsion systems are a little more granular. If attackers can destroy or disable a major propulsion component (one tire off a dune buggy, one leg off of a RoboSpider), the vehicle's Move is reduced by 1" for each lost component. If half of the propulsion elements are destroyed (one leg off a Tyrannosaurus, one wheel off a motorcycle), or if any part of the Vehicle is dragging on the ground, then the Vehicle moves at Half Speed, after applying all other applicable penalties. If all the elements are destroyed (one pogo off of a pogo stick, one balloon off of a balloon), the Vehicle's ability to Move is eliminated entirely.

Aerodynamic Flight systems are especially fragile (as opposed to space or magic Flight, which tend to be more resilient). The destruction of one blade of a helicopter or one wing of a dragon is enough to ground them immediately.

Vehicles Flying above the ground need a minimum amount of Propulsion strength to stay in the air. (Vehicles Flying in orbit or in space have no such problems). Any time a Flying Vehicle is reduced to Half Speed for any reason, it falls out of the sky at the end of the turn. Any time a Forward Flight Vehicle moves forward a real distance of half its maximum Move inches or less, whether due to penalties from Size Damage, Propulsion Damage, or even simple encumbrance, it will also fall out of the sky at the end of the turn.

Loss of Control

A Vehicle can lose control for any number of reasons. The Operator might be dead, absent, or distracted by text messages. Controls might be disconnected, destroyed, or contradicted by auxiliary Controls. Propulsion systems might be damaged, disabled, or sabotaged to function perfectly but in the wrong direction.

Out-of-Control Vehicles keep going in whichever direction they were already going, at whatever speed they were already moving. Their movement continues in a straight line every turn until they Crash into something (9.5: Collisions) or exit the battlefield, unless players come up with a specific reason they should change direction.

A Vehicle that loses power (the fuel line is severed, the minifig working the pedals implodes,

etc) or loses Propulsion effectiveness (a truck tipped off its wheels, a boat beaching itself) can use its remaining Momentum (if any) to continue moving on the following turn, buying one Skill die of Move inches (or one d4 of inches, if the vehicle lacks a Skilled operator) for each **MOM** spent. It then grinds to a halt. Flying Vehicles, in particular, grind to a halt by nosediving straight down from their final position and smashing into the ground.

9.2: Standard Maneuvering

Minifigs and animals are used to unlimited maneuvering. Minifigs are free to spend their Move inches almost however they want - running, climbing, spinning, jumping, hopping sideways, and rolling around at will. Most Vehicles aren't able to move quite this freely, and are subject to maneuvering restrictions.

Like minifigs, a Vehicle can be made to Sprint (4.1: Movement) in order to exceed its normal Move limit in a straight line. As with any other unit, Vehicles cannot make any turns at all while Sprinting.

Forward Maneuvering

Biplanes, monster trucks, and surfboards aren't able to spin in place or hop sideways the way minifigs can, and when they do, it usually means something's gone wrong. By default, all Vehicles depend on **Forward Maneuvering** - they must be moving forwards or backwards in order to turn.

In almost all cases, players' instincts about their own Vehicles' maneuverability are good enough. Players tend to have a pretty good idea of what kind of maneuvers a tricycle can and can't perform as compared to a mechadragon or a hot air balloon. Forward Maneuvering rules should only be used in isolated instances when players want a large Vehicle to feel ponderous, or on a temporary basis when they decide that a Vehicle enters a maneuvering space that's tight enough that the limits will make a real difference.


The minimum turning radius for a Forward Maneuvering Vehicle is determined by the length of its main Structure (7.1: Structure). For a Forward Maneuvering Vehicle, any turns are legal as long as it clears the length of its own Structure between ninety-degree turns.

Some Vehicles, like naval vessels and siege engines, may be so large or so slow that it takes multiple turns for them to travel their own Structure length. For Vehicles like these, it's better to use their Move as inches of Pull Thrust rather than Forward Maneuvering (9.3: Thrust Vectors).


Apart from Forward Flight Vehicles, almost all Forward Maneuvering Vehicles can move backwards, but they do so at Half Speed.

Stationary Maneuvering

Certain types of propulsion systems have the ability to **Turn in Place** while stationary. Rowboats, hovercraft, helicopters, antigravity spacefighters, and Vehicles on treads or legs all



Using Forward Maneuvering, this tank can make one right-angle turn each time it travels the length of its own chassis.



Using Stationary Maneuvering, the corner of the tank chassis moves four inches over the course of Turning in Place.

have the ability to turn and face a new direction without the need to move forwards or backwards. This is entirely up to the common sense of the players and doesn't have any extra CP cost.

A **Stationary Maneuvering** Vehicle may use its Move inches for Forward Maneuvering as usual, but it may also use inches to Turn in Place at any point during regular movement. Find the point on the Vehicle's Structure furthest away from the center of rotation, and rotate that point as many Move inches as necessary for the Vehicle to Turn In Place.

Flight Maneuvering

When Flying Vehicles use Forward Maneuvering, they are limited to forty-five degrees per turn, including any pitch change. Except in outer space, a Flying Vehicle may never raise its pitch to more than forty-five degrees above the horizontal, although it can point as inadvisably far downward as it likes. If you aren't keeping track of Flying Vehicles' specific altitudes, consider them all to be five inches off the ground by default.

Flying Vehicles may drop bombs or other objects from any height, but for all other weapon types they must be no more than five vertical inches higher than a target in order to attack it.

When dropping bombs or other objects, Flying Vehicles may only target spots directly underneath their own flight path. Like other ranged attacks, the dropped object may end up off of that path due to a Missed Shot (5.3: *Ranged Combat*). The Use rating for aiming dropped objects is equal to either the object's Size or the distance of the drop in inches, whichever is greater.

*When dropping Explosives, remember that the Use rating is based on the object's physical Size rather than its Explosive Size. Because Explosive Size is determined by bricks rather than inches (8.1: *Weapon Size*), a Size 3 Explosive might only be a Size 1" object for dropping purposes.*

Unlimited Maneuvering

While uncommon, there are a few types of Propulsion systems that can match a minifig's freedom of mobility. If a Vehicle's Propulsion system is based on sufficiently agile limbs (mecha, horses, robot velociraptors, minifigs) or hover flight (helicopters, flying carpets, flying saucers), then that Vehicle is **Maneuverable** and it has the potential to prance around as freely as any minifig.

In order to take advantage of its Maneuverability, the Vehicle must be controlled by an Operator with the Piloting Specialty (9.4: *Piloting*). A Maneuverable Vehicle that's controlled by a non-Pilot Operator is limited to regular Forward and Stationary Maneuvering instead; full Maneuverability is too complicated for untrained minifigs to handle effectively.

Jumps

Vehicles with legs (or some other jumping system) can leap across any distance within their Move radius, although the height of the leap can't exceed twice the height of their legs (or other jumping system).

Vehicles on wheels or the equivalent can only **Jump** by building up Momentum (9.5: *Collisions*) and



In The President's Speech, BrickSyd uses industrial pylons to position flying Vehicles at the proper altitudes. This places the Deep Space Management interceptor precisely in range of a biker's thrown dynamite.

*Photo: BrickSyd
from "The President's Speech (Turn 7)"
Elements shown: LEGO*

Flight Limits

Due to BrikWars' open-ended nature, Flying Vehicles can be ripe for game-breaking abuse. If your opponent knows your forces are limited to sword-wielding knights, he can ruin your day by fielding an assault helicopter, hovering just above sword-throwing range, and casually carpet-bombing your helpless ground troops into oblivion.

Obviously this is fun for nobody, and you have not only the right but the obligation to break his nose if he tries this.


In order to prevent this (the game-breaking, not the nose-breaking), it's best to limit Flying Vehicles to a maximum altitude of five inches in ground battles.

launching themselves off of ramps. When a Vehicle is launched off a ramp, it continues traveling in a straight line in the direction at which it left the ramp. The distance of the Jump is determined by the Vehicle's Momentum - each **MOM** spent adds one Skill die of Jump distance. The Vehicle can continue flying in a straight line for any distance up to the limit of its Move inches, and then drops straight down to end its Movement for the turn. Depending on the height of the drop at the end, a Jumping Vehicle may take Collision Damage with the ground when it lands (9.5: Collisions).



Staring down the barrel of an Assyrian Vanquisher Super Tank that just blew a hole in its own Death Wall to give itself a better shot, these Akkadian fanatics hatch a crazy plan. Using the rubble of the Death Wall as a ramp, they jump their death buggy up and onto the Vanquisher before it can respond.

Photo: Natalya
from "QoP: Head Separator Part III --
Turn 4"
Elements shown: LEGO



9.3: Thrust Vectors

Thrust Device			
Device	Cost	Effect	Notes
Thruster	(Size x2) CP	(Size x5") Thrust	Uses 1 Power per inch of Thrust

In addition to the standard Propulsion system, BrikWars allows for Vehicles and objects that are moved by physically pushing or pulling the model with specific **Thrust** forces. For Vehicles, directed Thrust can be provided by **Thrusters** like rockets, jet engines, propellers, or sails. Thrust is also the system used to handle the KnockBack from Shoves, Collisions, attacks, and weapon recoil, or from unusual devices like tractor beams and gravity guns.

Each Thrust effect has two parts: a direction and a number of inches. (The inches are always a whole number; fractional inches are rounded down.)

The Finger

The Assyrian Finger



Photo: Natalya
from "Assyrian Star Empire -- All Units"
Elements shown: LEGO

Following the tragic Dimmification of the Teknik civilization, the Assyrian Star Empire sent the Armoured Core "Austere" to survey the rediscovered Teknik swamp world of Dungobah for artifacts.

Unprotected against the Dim Side effects generated by the planet's Stupidity, the Pilot was barely able to avoid a crash landing and the impact and swamp splatter drew the attention of hundreds of slaving bayou Dimmies.

Outraged by the AC's sound construction and consistent color scheme, the Dimmies attacked with everything they had: sticks, rocks, and their own faces. The AC Pilot gave the attackers the unofficial salute of impending Assyrian domination: the giant upraised Finger of the Armoured Core. This did nothing to discourage the Dimmies, who'd never seen a finger before and were not yet aware of the significance of Assyrian middle ones in particular. As the Pilot began using the Finger to smash and skewer the nearest malcontents, the remaining Dimmies were able to overcome their Stupidity long enough to recognize the advantages of fleeing in terror.

No Dungam artifacts were located on that initial survey mission, but thanks to the assistance of Heroes from the newly-discovered Bayounikal tribes, the AC was able to escape from Dungobah and make its eventual return to Assyrian space. The Dimmy hordes, ever dominated by the Dim Side's Stupidity and fear, took the traditional course of the Stupid and fearful and started a new religion. The religion's popularity and success were supercharged by the mind-boggling idiocy of its leaders, and even despite the limited contact between Dungobah and other worlds, the Cult of the Finger spread rapidly throughout the surrounding star systems and into extremist factions of Assyrian nationalist parties.

(BrikWiki entry: [Armoured Core](#))

"God does not care about our mathematical difficulties. He integrates empirically."

- Albert Einstein

As any mathematician will tell you, vector algebra is an infinitely bigger pain in the ass than either vectors or algebra would seem to indicate on their own. Worse, vector algebra becomes increasingly

Rotation Due to Gravity

The rotational effects on an object resulting from gravitational Thrust are easily

difficult to perform after a fourth shot of whiskey, making it useless for any part of BrikWars after the first three minutes.

Fortunately, a BrikWars player's instinctive response to Thrust vector calculations turns out to be the correct one: Thrust is handled by **Giving It The Finger**. Place a fingertip at the point of Thrust (either an active Thruster or a point of impact, usually), and push the object the appropriate number of inches in the appropriate direction. The model on the table will move and rotate appropriately on its own without any need for calculation. (Wheeled models may need to be stopped manually at the end of each Thrust to keep them from rolling away forever.)

KnockBack from Shoves, Collisions, large Weapon strikes, and Explosions are all executed neatly and efficiently by Giving Them the Finger.

If the object is using Thrust as part of its own Movement, then it can apply Thrust before, after, or during whatever other maneuvers it makes during its turn.

calculated.

In BrikWars, an object's mass (m) is equal to its Structure Level times its Size. The acceleration from gravity (g) is equal to 5" of Thrust per turn. This mass times the acceleration (mg) equals the total force (F).


The angle of rotation (Θ), meanwhile, is trivially determined by multiplying the angular velocity (ω) times the number of turns (t).

With these values in hand, the relation between rotation and gravity matches players' natural expectation:

$$\Theta mg = \omega t F$$

Just Kidding


There is no reason you will ever have to use the above equation.



As part of its regular Movement, this sailing ship receives several inches of forward Thrust from its square sails, and additional inches of thrust to starboard from the staysail. The player decides to use half of the forward Thrust, then push the front of the ship to starboard with the staysail's Thrust, and then finish with what remains of the forward Thrust.

When using Thrust with sailing vessels, it's better to pull from the front rather than push from the rear - this better simulates the drag of ocean water on the vessel.

For an object affected by multiple points of Thrust at the same time, the player controlling the object (if any) may Give those Thrusts the Finger in whichever order he prefers, or split individual Thrusts into smaller Thrusts for fine maneuvering, or even Finger multiple Thrusts at the same time if it seems appropriate. Giving the Finger to Thrusts is not a precise science, and will often involve quite a bit of Fudge.



Parallel Thrust inches from this fighter's twin thrusters can be Fudged into a single combined forward Thrust. Similarly, Thrust inches from opposite directions on an object can be Fudged to cancel each other out completely.

In the worst-case scenario, rather than resolving Thrust effects one at a time, a player may wish to determine the cumulative result of many simultaneous Thrusts and only then move the object from its initial position to its final one. This is a legal and sometimes even necessary option, but it's a pain in the ass and should be avoided.


9.4: Piloting



Controls

As with Weapons (8.6: *Manning Guns*), a Vehicle should include some type of **Controls** for its Propulsion systems (steering wheels, flight sticks, computer consoles). A Vehicle that lacks specific Control elements should still at least have a specified **Control Area** where a minifig has to position himself if he wants to control the Vehicle.

Except in special cases, a Vehicle's main Controls provide centralized control of all of a Vehicle's Propulsion systems, weapons, and devices (like a fighter cockpit, a starship's master computer, a remote drone control station, or a warhorse's saddle). Specialized secondary Controls may affect only a single system or device (like the individual gunners' stations on a Death Zeppelin, a ship's wheel on a galleon, or a self-destruct button in an ice cream truck).



Traditionally, the controls of heavy assault mechs like this HellRaider are so complex and precise that only completely ordinary high school students have any hope of piloting them.

*Photo: BFenix
from "HellRaider Assault Mech"
Elements shown: LEGO*

Enemy minifigs can cripple a Vehicle by destroying its Controls. But better still, they can kill the Vehicle's operators and commandeer the Controls directly. (Plastic-brick Control systems lack security precautions like passwords or ignition keys.) Unlike the Controls for Weapons, if more than one team has minifigs Controlling a Vehicle's Propulsion at the same time, whether at separate Controls or in the same Control Area, they can each use their Actions to prevent the other from Controlling the Propulsion at all, rendering the Vehicle Out of Control (9.1: *Standard Propulsion*).

Systems

Assuming he has access to the proper Controls, a minifig can use its Action to pilot a Vehicle and/or control one (and only one) of its **Systems**, against a single target (if any), within the Vehicle's Power limit. This System may be any one of the following:

- **Ranged Weapons:** firing any number of Ranged Weapons at a single target (5.3: *Ranged Combat*).
- **Melee Weapons:** using any number of Close Combat Weapons against a single target (5.2: *Close Combat*).
- **Manipulators:** any combination of lifting, carrying, throwing, dropping, or otherwise manipulating one object or grouped set of objects.

- **Devices:** activating, deactivating, or otherwise controlling a Vehicle's special-purpose devices, such as sensors, shields, transporters, a cloaking device, a self-destruct function, or an in-dash music system.

If no operator is actively controlling a System, it continues doing whatever it is doing: shields that are up stay up, sails that are unfurled stay unfurled, robotic hands with a bloody grip on crushed enemy heads maintain their bloody grip on crushed enemy heads.

The Pilot



(Download the Pilot card)

The purpose of Vehicles is to move personnel and equipment into position, but sometimes the nature of Vehicular physics puts that position just out of reach - the Vehicle may not be able to speed fast enough, stop short enough, turn tightly enough, or make ridiculous acrobatic leaps ridiculously enough. These desperate circumstances are the situations a **Pilot** is born for.

Stunt Driving

Stunt Driving Specialty (+1CP): once a turn, defy Movement rules for a controlled Vehicle for 1d8 Stunt Inches

Thanks to their extraordinary affinity with their Vehicles, Pilots have the ability to push the envelope a critical couple of extra inches with **Stunt Driving** as a normal part of controlling the Vehicle's Movement. (Pilots may still operate one of the Vehicle's Systems as usual during the turn, whether or not they elect to do any Stunt Driving.)

When a Pilot wants to attempt a crazy maneuver, his player describes the maneuver being attempted, and determines how many **Stunt Inches** the Vehicle will travel away from what should normally be possible. If a StarShip is trying to exceed its maximum Move, for instance, then the Stunt Inches are the number of extra inches past the Move limit. If a FireTruck is trying to turn more tightly than Standard Maneuvering would allow, then the Stunt Inches are whatever amount of required distance between turns that the player is trying to ignore. If a MiniVan operator is pulling the e-brake to powerslide sideways into a crowd of soccer hooligans, then the Stunt Inches are whatever distance the MiniVan is sliding sideways.

Once the player declares the number of Stunt Inches to attempt, the Pilot makes a d8 Skill Roll for Stunt Driving. The number rolled is the number of Stunt Inches they were able to complete successfully. If this number equals or exceeds the number of Stunt Inches being attempted, then the Vehicle completes the entire Stunt without mishap.

Otherwise, an Enemy of the player's choice get one Thrust Inch for every Stunt Inch left over to use against the vehicle at the end of the successful inches. After coming up with a story for how the Stunt went wrong, they can use that Thrust to (for instance) stop the Vehicle short of its goal, try to cause it to roll, push or turn it in the wrong direction, or even launch it into the air - whatever seems appropriate for the type of Stunt failure they described.

If the Pilot attempting the Stunt rolls a Critical Failure, then not only does he fail at all of the Stunt Inches, but his opponents get to add an extra 1d6 to the inches of Thrust used against him.

Sprinting can be thought of in some ways as a lesser form of Stunt Driving. While it also uses a Skill Roll to add inches to movement, Sprinting is more limited than Stunt Driving in that it requires the unit to be moving in a straight line. On the other hand, a failed Sprint Roll doesn't turn into Thrust inches that opponents can use against the unit.

9.5: Collisions



The Allied Nations / United Systems warship Ripper acts as a delivery platform for an Orange Transparent Chainsaw the size of a battleship. The Akkadian flagship S.S. Dethstar is less than pleased to accept delivery.

*Photo: Stubby
From "Rainbow War II: Jellybean Apocalypse: Grail War, Turn 1"
Elements shown: LEGO*

The best thing about big Creations is smashing them into other Creations. For many budding plastic-brick fans, smashing stuff into other stuff is the first game they play with their brick constructions, and for some it's all the game they'll ever need. BrikWars salutes the human spirit and its fundamental drive to smash.

Limited versions of the rules for handling **Collisions** have been presented twice before, for two specific object Sizes. The rules given for minifigs ([5.4: Charge!](#)) are the rules for objects of Size 1", while the rules given for Horses ([H.3: Fighting From Horseback](#)) are the rules for objects of Size 2". The rules presented here are the generalized rules for objects of any Sizes running into one another, whether deliberately or otherwise.

Momentum

Momentum = 1 **MOM** per 4" of straight-line movement, up to **Effective Size**



Knowing of Warhead's uncontrollable mom-lust, the mysterious entity known as FedoraNuker creates an afterlife paradise for the souls of all hot moms. The ensuing momicide is the first step in a convoluted scheme to break Warhead down using the dark and forbidden art of Psychotherapy.

Forum Thread: The Unmortal

Collisions become much more satisfying as the colliding objects get bigger, but they also become more complicated. Where a Size 1 minifig can build up a Momentum of 1 **MOM** with a Charge of four inches (5.4: *Charge!*), and a Size 2 Horse can gather 2 **MOMs** in a Charge of eight inches (H.3: *Fighting From Horseback*), a larger Creation is able to build up a correspondingly larger pile of **MOMs** as it extends its Charge over a larger number of inches.

In order to build up its **MOMs**, a Creation must Charge in a straight line directly at its target. The Charge follows the same rules as a Sprint: the path of the Charge may go up or down sloping terrain or over gaps and obstacles if they're small enough for the Creation leap over without slowing down, but if the Charge pauses, slows, or turns to the left or right, then all Momentum is cancelled and the Creation will have to start over collecting **MOMs** from scratch.

For every four inches in its continuous Charge, a Creation gains one **MOM**, up to a number of **MOMs** equal to its own Size (or Effective Size, if it's taken Size Damage (7.2: *Taking Damage*)).



Charge attacks are not always on purpose. The Charging rules also apply to minifigs that unsuspectingly run headlong into sharpened-stake booby traps, or locomotives encountering abandoned laundry machines.

Elements shown: LEGO, string



Just as Vergilus Raskolnikov prepares to conquer the Britannian planet of Wrayford, My Little Pwnies

Even while Sprinting, a large Creation may not have enough Move to build up to its full Momentum in a single turn. Creations can extend a Charge over multiple turns to travel the distance required. These **Extended Charges** are best used against inanimate targets like walls and security gates, since a more mobile target can casually walk off of the line of a Charge between turns and sidestep the attack entirely.

In the case of an **Unintentional Charge**, such as for Out-of-Control Vehicles, minifigs running into invisible walls, or objects falling from great heights, players may not have been keeping track of an object's Momentum. In cases like these, it's up to the players to determine the Charge distances after the fact by estimating how much straight-line distance the objects traveled. Only the turn immediately prior to the impact need be considered; objects don't unintentionally make Extended Charges. (However, players should be generous in overlooking slight curves in the path of an Unintentional Charge, since Unintentional Damage is much funnier than the regular kind.) As a rule, all of a falling object's travel is counted as being in a straight line; players are expected to forget they know anything about parabolas for the purpose of maximizing Damage from falls.

Spending MOMs

While Charging Creations can potentially have a much larger pile of **MOMs** than minifigs and Horses, they spend them in much the same ways. **MOMs** can be used for boosting extreme vehicular maneuvers or catapult launches, but they are most often used to add Damage to a Charging Weapon attack (up to a limit of one **MOM** per inch of Charging Weapon Size) or KnockBack to a Collision. A **MOM** disappears as it is spent, but the object can earn its **MOMs** back again by continuing to Charge in further four-inch increments, even during the same turn.

Crashes and KnockBack

Collisions are an immediate and reliable outlet for aggression. They require no Attack Roll, automatically succeeding unless the target manages to Bail out of the way (4.3: *Enemy Response*).

However, they can be equally dangerous to collider and collidee alike. Each object in a Collision does **Crash Damage** to the other - as many d6es of Damage as either its own Structure Level, or the total number of **MOMs** in the Collision, whichever is fewer. (This does not use up the **MOMs** - they'll be spent on KnockBack instead.)

When Crash Damage has been resolved, the Colliding object converts all of its **MOMs** into d6es of KnockBack inches against its target. The defending object resists the KnockBack with its natural **Physical Opposition**, with one **POP** d6 for every inch in its Effective Size.

*Objects that are nailed down are only Knocked Back if they were broken by the Crash Damage from the collision. If not, all the **MOMs** are lost without further effect.*

Crash Example: Don Coyote and the Fire Giant

swoop in from the FriendZone dimension to crash their own home planet of Ekvestria into it. This event was the provocation for Raskolnikov's famous rallying cry: "Damn you pwnies! I was going to conquer that!"

*Photo: Arkbrik
from "A Collision of Interests, Also
Planets - Signup"
Elements shown: LEGO*



Though its turret was knocked off by a giant chicken, Aloysius Black's steam tank still packs a punch - all the more powerful because the punch is spiked.

*Photo: Bragallot
from "After the Rift (Round 3)"
Elements shown: LEGO*

Spiked Crashes

Mounting spikes or other Charging Weapons on the front of your Vehicle adds the advantages of a Charging Weapon Attack to a Crash.

Unless the target Bails and avoids the Collision completely, the spikes Automatically Hit the target before the Collision effects are calculated. (If there are multiple spikes on the front

Example: The biker Don Coyote (Skill: d6) tilts his lance at a rampaging Fire Giant. His motorcycle gives him a Size rating of 2, so Don Coyote guns the engines along the necessary eight inches to build up his full 2 MOMs of Momentum.

The Giant has a Size rating of 4 and is wearing heavily armored shin guards, so he's not very worried. Rather than trying to dodge, he decides to allow the Joust in order to bring Don Coyote close enough to engage in Close Combat.

The lance is a Size 2" Charging Weapon, so Don Coyote will be able to spend both MOMs to add Damage if the attack is successful, raising the Damage from 2d6 to 4d6 against the giant's armored shin guard.

Unfortunately he fails the Attack Roll. Don Coyote misses with the lance, and must continue Charging forward to the limit of his Move inches, causing him to crash directly into the Giant with the motorcycle. He wasn't able to spend his two MOMs in the missed Joust attack, so they now become 2d6" of KnockBack instead. He rolls 8".

The Giant has a Size of 4", and so he has 4 POPs to resist the KnockBack. The Giant rolls 13", easily resisting Don Coyote's KnockBack of 8". The motorcycle is stopped in its tracks.

The motorcycle has a Structure Level of 1, allowing it to deliver one die of Crash Damage. The 1d6 Crash Damage is negated by the Shielding of the Giant's shin guard, leaving him unharmed. Although his heavy Armor Plating gives his leg a Shielded bonus, the Giant's "natural" Structure Level is only 1/2, limiting his own ability to deal Crash Damage to zero dice. He does no Damage at all in the Collision.

With no effect from either the KnockBack or the Crash Damage, Don Coyote is brought to a halt and trapped in Close Combat with the Fire Giant. The Giant Counterattacks with a mighty football punt.



Elements shown: LEGO

of the Vehicle, treat them as only a single spike for the purpose of the Charging Weapon Attack.)

As in any Charging Weapon Attack, the player can spend MOMs to add dice to the spikes' Damage, up to the Weapon Size of the spikes. Depending on how much Momentum the Vehicle has, spending MOMs before the Collision occurs might save it from taking Crash Damage, or it may allow the Vehicle to convert more of its MOMs into Damage than it would have been able to from Crashing alone.

Falling Damage

Falling Damage is treated as a standard Collision between a falling object and the ground. This doesn't generally end in success for the falling object, since the ground has a Size rating of over nine thousand, making its potential Physical Opposition almost limitless.

Generic surfaces can be divided into soft and hard ground according to color. Green (grass), brown (soil), or tan (sand) ground is considered comparatively soft with Structure Level 1, and so never does more than one d6 of Crash Damage. Gray (stone) or black (asphalt) ground is considered much harder, with Structure Level 3, meaning it can do up to 3d6 of Crash Damage if an object falls far enough to build up the necessary Momentum.

If the falling object's damage manages to exceed the ground's Armor rating (1d10 for soft ground, 3d10 for hard ground), players may elect to build a crater ring around the impact site, with bricks of height and inches of diameter equal to the number of dice in the falling object's Momentum.

It's a generally accepted action-movie fact that pools of liquid such as water or quicksand, no matter how shallow, will cushion Crash impacts safely and completely. Of course, if the liquid is something like stomach acid or hot magma, it may subsequently do other types of damage on its own.



Correctly forecasting a rain of burning Dimmy chieftains falling from the sky, NELUG's pre-built crater plates got plenty of use in their desert battle.

Photo: Wayne McCaul
from "The Post-Apocalyptic Research Vehicle"

Elements shown: LEGO, DUPLO

If a target is Knocked Back far enough to land on its side or upside-down, the object is **Knocked Over** and Disrupted, unable to take any Action or defend itself until it gets itself back upright. For vehicles, it's even worse: while a Knocked Over delivery truck is largely helpless, Knocked Over boats are capsized and sink at the end of their following turn; flying vehicles tend to crash.

If the Charging object is larger than its Disrupted victim, it may proceed to run right over it,

inflicting points of **Trample Damage** for every inch by which its Effective Size exceeds that of its victim. Smash and Trample Damage are cumulative with any other Damage dealt in the course of the Collision.

Plowing Through

In most cases, a minifig protester isn't big enough to halt the Momentum of his benevolent government's Size 5" BattleTanks. If an attacker would like to keep Charging after making a Collision, and the number of dice in its **MOM** pile is greater than the amount needed to destroy or Knock Back its target, then the attacker has the option to hold back the excess dice and keep right on going.

When a player thinks that a unit has a chance to **Plow Through** multiple obstacles, the Collision rolls are handled more carefully. The unit's Crash Damage is rolled once for the turn; it will be treated as Overkill Damage across the series of targets until it runs out ([7.2: Taking Damage](#)).


Rather than converting all the **MOMs** into KnockBack dice at once, they are instead rolled one at a time, until the minimum KnockBack distance has been reached to overcome an obstacle's Physical Opposition and knock it out of the way. The unit then moves on to the next obstacle, and begins rolling its remaining dice one at a time to Knock the new obstacle back, and so forth, until the unit runs out of either Momentum or remaining obstacles.

Whatever **MOMs** remain unspent at the end of the turn return to the unit's **MOM** pile.



Praetorian tank treads are well-known for their love of trampling minifigs.

Photo: dilanski
from "V4 Zephyr Class Heavy Tank"
Elements shown: LEGO



Back: [Chapter 8: Weaponry](#)

BRIKWARS 2010: Chapter 9: Vehicles

Next: [Chapter 10: Creatures](#)